

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61


Tr

LIBRARY
RECEIVED

★ MAR 23 1950 ★

U. S. Department of Agriculture

Spring 1950



PRICE LIST

WESTBURY ROSE CO., INC.
NURSERYMEN
WESTBURY, L.I., N.Y.

HENRY VAN DEN HOORN, PRESIDENT
Phone • Garden City 7-1100

APOLOGIES FOR LIBERTIES
PRINTER TOOK WITH COLORS

SPRING - 1950

We take pleasure in offering the following items which have all been grown under our modern, improved methods to assure you the best returns on all material purchased from us.

DOMESTIC Lining Out Stock

KEY

| | | | |
|-----|--------------------|------|-----------------|
| B | Soil Ball | F | Flatted |
| B&B | Ball & Burlap | C | Rooted Cuttings |
| BR | Bare Root | S | Seedlings |
| P | Potted | G | Grafts |
| T | Times transplanted | O.R. | Own Root |

PRICES - quoted per 100: 10% off on 1000 lots, 25 at 100 rate, 250 at 1000 rate - 20% added for less than 25 of a kind. Not less than 10 of a variety sold.

| | | | 100 rate each |
|-------------------------------|---------------|--------|------------------|
| ACER - Japanese Maple | | | |
| pal. <i>atropurpureum</i> | 2 1/2" P | \$0.50 | |
| "- <i>nigrum</i> | 2 1/2" P | .55 | |
| *- <i>dissectum</i> (green) | 2 1/2" P | .50 | |
| *- <i>atropurpureum</i> (red) | 2 1/2" P | .75 | |
| ABELIA | | | |
| <i>grandiflora</i> | 4-6" 2 1/2" P | .18 | |
| " | 9-12" 4" P | .50 | |
| " | 12-18" 6" P | 1.00 | |
| AMYGDALIS | | | |
| <i>rosea</i> | 4-6" 2 1/2" P | .20 | |
| " | 9-12" TB | .40 | |
| ANDROMEDA (Pieris) | | | |
| <i>japonica</i> | 2-3" TB | .10 | |
| " | 4-6" TB | .18 | |
| " | 6-9" TTB | .30 | |
| " | 9-12" TTB | .75 | |
| " | 12-15" B&B | 1.50 | |
| " | 15-18" B&B | 2.00 | |
| <i>japonica compacta</i> | 4-6" TB | .20 | |
| * <i>floribunda</i> | 2-3" TB | .10 | |
| " | 4-6" TB | .20 | |

(*) Sold out, booking for next season



Henry Van den Hoorn and Chemurgist Paul Vossburg broadcasting on nursery propagation and practices for Tom Page (mike in hand), director of the National Farm Program over Station W.N.B.C., New York.



AZALEA

| | | | 100 rate each |
|------------------------|------|--------|------------------|
| amoena..... | H... | 4-6" | TF \$0.18 |
| " | | 4-6" | 2½" P .20 |
| apple blossom..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| coral bells..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| fedora..... | H... | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| ghent..... | H... | 18-24" | B&B 3.00 |
| named varieties | hvy | | |
| hinodigiri..... | H... | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| " | | 6-9" | TTB .50 |
| " | | 9-12" | TTTB 1.00 |
| hinocrimson..... | H... | 4-6" | TF .20 |
| " | | 4-6" | 2½" P .25 |
| hinomayo..... | H... | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| kaempferi..... | H... | 4-6" | TF .18 |
| hybrids | | 4-6" | 2½" P .20 |
| ledifolia..... | | 4-6" | TF .18 |
| magnifica | | 4-6" | 2½" P .20 |
| ledifolia alba..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| " | | 6-9" | TTB .45 |
| macrantha (pink)..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| " | | 6-9" | TTB .45 |
| macrantha brilliant... | | 4-6" | TF .25 |
| malvatica hybrid.. | H... | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| " | | 6-9" | TTB .45 |
| maxwelli..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| mollis..... | H... | 18-24" | B&B 3.00 |
| named varieties | hvy | | |
| mucronulatum..... | H... | 4-6" | TF .20 |
| " | | 4-6" | 2½" P .25 |
| pink pearl..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| salmon beauty..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| *schlippenbachi.... | H... | 4-6" | TF .25 |
| snow..... | | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |
| " | | 6-9" | TTB .45 |
| yodogawa..... | H... | 4-6" | TF .18 |
| " | | 4-6" | 2½" P .20 |


(*) Sold out, booking for next season.

(H) Varieties have an established record for hardiness.

| | | | 100 rate each |
|------------------------------------|--------------|----------|------------------|
| BERBERIS | | | |
| <i>julianae</i> | 3-5" | 2 1/2" P | \$0.25 |
| BUDDLEIA | | | |
| <i>alternifolia</i> | 6-8" | 2 1/2" P | .20 |
| CHAMAECYPARIS (Retinospora) | | | |
| <i>obtusa nana</i> | 4-6" | 2 1/2" P | .30 |
| <i>obtusa nana compacta</i> . | 4-6" | 2 1/2" P | .40 |
| <i>obtusa crippsi</i> | 4-6" | 2 1/2" P | .30 |
| <i>obtusa gracilis</i> | 4-6" | 2 1/2" P | .30 |
| " | 6-9" | TB | .60 |
| <i>pisifera</i> | 6-8" | CBR | .08 |
| " | bedded 8-10" | 1 yr | .15 |
| " | 6-8" | 2 1/2" P | .18 |
| " | 8-10" | TTB | .35 |
| " | 9-12" | TTB | .50 |
| <i>pisifera aurea</i> | 6-8" | CBR | .10 |
| " | 8-10" | 1 yr | .15 |
| " | 6-8" | 2 1/2" P | .20 |
| " | 8-10" | TB | .35 |
| " | 9-12" | TTB | .50 |
| <i>pisifera filifera</i> | 6-8" | CBR | .10 |
| " | 6-8" | 2 1/2" P | .20 |
| " | 8-10" | TB | .35 |
| <i>pisifera filifera aurea</i> ... | 6-8" | CBR | .15 |
| " | 6-8" | 2 1/2" P | .25 |
| <i>plumosa</i> | 6-8" | CBR | .08 |
| " | bedded 8-10" | 1 yr | .15 |
| " | 6-8" | 2 1/2" P | .18 |
| " | 8-10" | TTB | .35 |
| " | 9-12" | TTB | .50 |
| <i>plumosa aurea</i> | 6-8" | CBR | .10 |
| " | bedded 8-10" | 1 yr | .15 |
| " | 6-8" | 2 1/2" P | .20 |
| " | 8-10" | TTB | .35 |
| " | 9-12" | TTB | .50 |
| <i>plumosa lutescens</i> | 3-5" | CBR | .15 |
| " | 3-5" | 2 1/2" P | .22 |
| " | 4-6" | TB | .35 |
| <i>squarrosa veitchii</i> | 6-8" | CBR | .10 |
| " | bedded 8-10" | 1 yr | .15 |
| " | 6-8" | 2 1/2" P | .20 |
| " | 8-10" | TTB | .35 |
| " | 9-12" | TTB | .50 |
| " | 12-15" | TTB | .75 |
| CYTISUS | | | |
| <i>scoparius</i> | 6-8" | 2 1/2" P | .25 |
| <i>andreanus</i> | 6-8" | 2 1/2" P | .25 |



BIRDS EYE VIEW of nursery, greenhouses and frames.



DOGWOOD

| | | | 100 rate each |
|-------------------------|-------|----------|------------------|
| CORNUS (Dogwood) | | | |
| florida fructi luteo. | 6-8" | 2 1/2" P | \$0.45 |
| *florida magnifica.... | 6-8" | 2 1/2" P | .50 |
| *florida pendula..... | 6-8" | 2 1/2" P | .45 |
| *florida plena..... | 6-8" | 2 1/2" P | .45 |
| florida rubra..... | 6-8" | 2 1/2" P | .40 |
| florida rubra..... | 8-10" | 2 1/2" P | .45 |
| *florida variegata.... | 6-8" | 2 1/2" P | .50 |
| kousa chinensis..... | 6-8" | 2 1/2" P | .40 |
| *mas..... | 6-8" | 2 1/2" P | .40 |

(*) sold out, booking for next season.

COTONEASTER

| | | | |
|-------------------|------|----------|-----|
| apiculata..... | 3-5" | 2 1/2" P | .25 |
| " | 6-9" | 4" P | .50 |
| horizontalis..... | 3-5" | 2 1/2" P | .25 |
| | 6-9" | 4" P | .50 |

ENKIANTHUS

| | | | |
|-------------------|------|----------|-----|
| canpanulatus..... | 4-6" | 2 1/2" P | .25 |
|-------------------|------|----------|-----|

EUONYMUS

| | | | |
|---------------|------|----------|-----|
| carrieri..... | 4-6" | 2 1/2" P | .20 |
| vegetus..... | 4-6" | 2 1/2" P | .20 |
| japonica..... | 4-6" | 2 1/2" P | .20 |

GORDONIA

| | | | |
|----------------|------|----------|-----|
| alatamaha..... | 4-6" | 2 1/2" P | .25 |
|----------------|------|----------|-----|

HEDERA

| | | |
|-------------------------------|----------|-----|
| helix, 3 leads (English Ivy) | 2 1/2" P | .15 |
| baltica, 3 leads (Baltic Ivy) | 2 1/2" P | .15 |

JUNIPERUS

| | | | |
|-----------------------|------|----------|-----|
| communis andorra..... | 4-6" | CBR | .10 |
| " | 4-6" | 2 1/2" P | .20 |
| pfitzeriana..... | 4-6" | CBR | .12 |
| " | 4-6" | 2 1/2" P | .22 |
| communis depressa.... | 4-6" | CBR | .10 |
| " | 4-6" | 2 1/2" P | .20 |
| excelsa stricta..... | 4-6" | CBR | .10 |
| " | 4-6" | 2 1/2" P | .20 |
| horizontalis..... | 4-6" | CBR | .10 |
| " | 4-6" | 2 1/2" P | .20 |
| horizontalis glauca.. | 4-6" | CBR | .10 |
| " | 4-6" | 2 1/2" P | .20 |
| parsoni..... | 4-6" | CBR | .12 |
| " | 4-6" | 2 1/2" P | .20 |
| litoralis..... | 4-6" | CBR | .10 |
| " | 4-6" | 2 1/2" P | .20 |
| squamata meyeri..... | 4-6" | CBR | .15 |
| " | 4-6" | 2 1/2" P | .25 |

100 rate
each

| | | | | |
|-----------------------|------|----------|--------|--|
| LAUROCERASUS | | | | |
| schipkaensis..... | 4-6" | 2 1/2" P | \$0.25 | |
| zabeliana..... | 4-6" | 2 1/2" P | .25 | |
| LEUCOTHOE | | | | |
| axillaris & catesbaei | 3-5" | 2 1/2" P | .20 | |
| LONICERA | | | | |
| nitida & pileata..... | 4-6" | 2 1/2" P | .25 | |




HOLLY

100 rate
each

| | | | | |
|-------------------------|--------|----------|--------|--|
| ILEX | | | | |
| altaclarens..... | 3-5" | 2 1/2" P | \$0.25 | |
| *aquifolia (hardy form) | 3-5" | 2 1/2" P | .25 | |
| crenata..... | 3-5" | CBR | .08 | |
| " | 3-5" | 2 1/2" P | .20 | |
| " | 4-6" | TB | .25 | |
| " | 6-9" | TB | .35 | |
| " | 9-12" | TTB | .50 | |
| crenata helleri..... | 3-4" | CBR | .15 | |
| " | 3-4" | 2 1/2" P | .25 | |
| crenata latifolia.... | 3-5" | CBR | .10 | |
| " | 3-5" | 2 1/2" P | .20 | |
| " | 4-6" | TB | .30 | |
| " | 6-9" | TB | .40 | |
| crenata microphylla.. | 3-5" | CBR | .10 | |
| " | 3-5" | 2 1/2" P | .20 | |
| " | 4-6" | TF | .25 | |
| " | 6-9" | TB | .35 | |
| crenata bullata..... | 3-5" | TF | .15 | |
| " | 3-5" | 2 1/2" P | .20 | |
| " | 4-6" | TTF | .25 | |
| " | 6-9" | TB | .40 | |
| " | 9-12" | TTB | .75 | |
| " | 12-15" | TTTB | 1.25 | |
| crenata rotundifolia. | 3-5" | CBR | .10 | |
| " | 3-5" | 2 1/2" P | .20 | |
| " | 4-6" | TB | .25 | |
| " | 6-9" | TB | .30 | |
| *cornuta burfordi..... | 3-5" | 2 1/2" P | .25 | |
| glabra..... | 3-5" | CBR | .08 | |
| " | 3-5" | 2 1/2" P | .20 | |
| " | 6-9" | TB | .25 | |
| " | 9-12" | TTB | .50 | |
| " | 12-15" | B&B | 1.00 | |
| opaca..... | 3-5" | 2 1/2" P | .25 | |
| opaca, M&F paired.... | 4-6" | 2 1/2" P | .35 | |
| opaca femina..... | 3-5" | 2 1/2" P | .25 | |
| opaca brilliantissima | 3-5" | 2 1/2" P | .30 | |
| " | 9-12" | 4" P | .60 | |
| " | 12-15" | 6" P | 1.00 | |
| opaca mascula..... | 3-5" | 2 1/2" P | .25 | |
| pendunculosa..... | 3-5" | 2 1/2" P | .30 | |

(*) Sold out, booking for next season.



MAGNOLIA

MAGNOLIA

| | | 100 rate each |
|-----------------------|--------|------------------|
| *alba superba..... | 8-12" | 2½" P \$0.60 |
| *alexandrina..... | 8-12" | 2½" P .60 |
| *conspicua..... | 8-12" | 2½" P .75 |
| cordata..... | 8-12" | 2½" P .75 |
| *lennsei..... | 8-12" | 2½" P .75 |
| liliflora..... | 8-12" | 2½" P .35 |
| parviflora..... | 8-12" | 2½" P .60 |
| rustica rubra..... | 8-12" | 2½" P .60 |
| soulangeana..... | 8-12" | 2½" P .45 |
| Dormant Stock | | |
| " | 6-9" | B.R. .50 |
| " | 9-12" | B.R. .60 |
| " | 12-15" | B.R. .70 |
| " | 15-18" | B.R. .90 |
| soulangeana nigra.... | 8-12" | 2½" P .50 |
| Dormant Stock | | |
| " | 6-9" | B.R. .60 |
| " | 9-12" | B.R. .80 |
| " | 12-15" | B.R. 1.00 |
| speciosa magnifica... | 8-12" | 2½" P .75 |
| stellata, white star. | 6-8" | 2½" P .50 |
| stellata rosea..... | 6-8" | 2½" P .50 |
| stellata waterlily... | 6-8" | 2½" P .50 |
| watsoni..... | 6-8" | 2½" P 1.00 |
| wilsoni..... | 6-8" | 2½" P 1.00 |

(*) Sold out, booking for next season



MAGNOLIAS by the thousands standing shoulder to shoulder ready to be shipped.

LIST OF RHODODENDRONS WITH THEIR DESCRIPTIONS

We offer the following true to name hardy hybrid Rhododendrons in strong rooted stem cuttings.

This stock includes many old favorites in a great assortment of colors.

Cuttings taken from selected healthy blooming stock plants.

This material is not to be compared to questionable influx of stock of doubtful name and hardiness.

We have 56 varieties of Rhododendron on the premises and access to a total of 103 varieties.

Stem cuttings with their fresh vigorous supply of roots, make a very strong growth the first season when planted out in spring.

Ready to ship May 1st with a nice peat ball to assure continued healthy growth. No graft weaknesses or suckering to contend with. Upon request, cultural instructions furnished with order.

THE FOLLOWING RHODODENDRONS ARE \$60 PER HUNDRED:

| | |
|-----------------------|-----------------------------------|
| ALBUM ELEGANS | White - Tall |
| CARACTACUS | Crimson Red - Good for landscape |
| CHAS. THOROLD | Violet Red - Green blotch |
| F.D. GODMAN | Red - Crimson blotch - Vigorous |
| IGNATIUS SARGENT | Red - Light Center - Nice flower |
| LEE'S DARK PURPLE | Purple - Interesting foliage |
| OLD PORT | Plum - Very good landscape plant |
| PARSON'S GLORIOSUM | Lilac - Large truss - Vigorous |
| PARSON'S GRANDIFLORUM | Soft Red - Free blooming, hardy |
| PRESIDENT LINCOLN | Lavender - Strong grower |
| PURPUREUM ELEGANS | Light Purple - Good foliage |
| ROSEUM ELEGANS | Mauve Pink - Best landscape plant |
| ROSEUM SUPERBUM | Soft Pink - Late bloomer |

BETWEEN: RHODODENDRON HOUSE - 25,000 rooted Rhododendron hybrid stem cuttings flatted in processed medium. To be shipped after first growth.



LIST OF RHODODENDRONS WITH THEIR DESCRIPTIONS

(continued)



THE FOLLOWING RHODODENDRONS ARE \$80 PER HUNDRED:

| | |
|---------------------|---|
| ALBUM GRANDIFLORA | White - Medium grower |
| ATROSANGUINEUM | Red - Very hardy |
| BOULE DE NEIGE | White - Dwarf - Dense grower |
| BERTHA PARSONS | Pale lilac - Vigorous |
| CATAWBIENSE ALBUM | White - Very reliable - good habit |
| CHAS. BAGLEY | Soft Red - Large flowers - vigorous |
| CHAS. DICKENS | Red - Intermediate in growth |
| DR. DRESSELHUYS | Aniline Red - Pale throat - tall growth |
| DR. RUTGERS | Aniline Red - Crimson throat - Compact |
| ED. S. RAND | Red - Old favorite - Good foliage and habit |
| EVERESTIANUM | Lavender - Hardest and best in this class |
| FASTUOSUM FL. PL. | Lavender - Bud tender north of Philadelphia |
| GOMER WATERER | White - Large flower - Bud tender north of Philadelphia |
| KETTLEDRUM | Red - Spreading habit |
| LADY A. DE TRAFFORD | Blush Pink - Chocolate brown blotch |
| MRS. P. DEN OUDEN | Aniline Red - Dwarf compact grower |

EXPERIMENTAL
GREENHOUSE





Showing Henry Van den Hoorn comparing the results of our "chemurgic processes".

Featured (left to right): (1) Understock seedling - (2) 3-year old understock shortly after grafting, note suckering - (3) Large plant is Own Root stem cutting 6 months old. Chemical treatment and controlled heat contributing factors.

RHODODENDRONS

SMALL LEAVED VARIETIES

| | | 100 rate each |
|--------------------------------|------|------------------|
| Rhododendron Carolina - | | |
| Selected strain | 6-9" | \$0.25 |
| Rhododendron Ferrugineum - | | |
| Rose Pink Trusses - Dwarf | 4-6" | .40 |
| Rhododendron Wilsoni - | | |
| Glossy foliage - Blush flowers | 4-6" | .40 |

TRANSPLANTED SEEDLINGS

| | | |
|---------------------------------------|--|-----|
| Atrosanguinea, Lady Armstrong & Chas. | | |
| Dickens Seedlings | | .14 |
| Dexter & Fortunae hybrid seedlings | | |
| hardiest varieties..... | | .14 |
| Red Hybrids (hand pollinated) | | .25 |

NAMED HYBRIDS IN LARGER SIZES

| | | |
|-------------------------------------|--------|------|
| Following colors only - | | |
| Pink, Red, Purple, White & Lavender | 18-21" | 4.00 |
| | 21-24" | 5.00 |
| | 24-30" | 7.00 |



Our plants will develop better, with our special chemurgic processing.

"WATCH YOUR DOLLARS GROW."

100 rate
each

PACHYSANDRA

| | | |
|------------------------|-------------------------|--------|
| <i>terminalis</i> | \$50 per M - Flats (50) | \$0.06 |
| " | \$70 per M - TF 2 yr. | .08 |
| " | \$90 per M - 2½" P | .10 |

POLYGONUM

| | | | |
|----------------------|------|-------|-----|
| <i>auberti</i> | 4-6" | 2½" P | .20 |
|----------------------|------|-------|-----|

PYRACANTHA

| | | | |
|------------------------------|------|-------|-----|
| <i>coccinea lalandi</i> | 4-6" | 2½" P | .25 |
|------------------------------|------|-------|-----|

PIERIS - See *Andromeda*

RETINOSPORA - See *Chamaecyparis*

SARCOCOCCA

| | | | |
|----------------------|------|-------|-----|
| <i>humilis</i> | 3-4" | 2½" P | .25 |
|----------------------|------|-------|-----|

STEWARTIA

| | | | |
|------------------------------|------|-------|-----|
| * <i>pseudocamelia</i> | 4-6" | 2½" P | .40 |
|------------------------------|------|-------|-----|



Mr. Paul D. Vossburg preparing special solutions to stimulate root action.

T A X U S
(Yew)

100 rate
each

| | | | | |
|-------------------------------|--------|-------|--------|--|
| TAXUS | | | | |
| <i>baccata repandens</i> | 3-5" | CBR | \$0.12 | |
| " bedded | 5-6" | 1 yr | .15 | |
| " | 3-5" | 2½" P | .20 | |
| " | 6-9" | TTB | .35 | |
| " | 9-12" | TTTB | .60 | |
| <i>canadensis stricta</i> ... | 3-5" | CBR | .10 | |
| " | 3-5" | 2½" P | .20 | |
| <i>cuspidata</i> | 4-6" | CBR | .07 | |
| " | 6-8" | CBR | .08 | |
| " bedded | 8-10" | 1 yr | .15 | |
| " | 6-8" | 2½" P | .18 | |
| " | 6-9" | TTB | .25 | |
| " | 9-12" | TTB | .35 | |
| <i>-capitata</i> | 4-6" | CBR | .10 | |
| " | 6-8" | CBR | .15 | |
| " | 6-8" | 2½" P | .25 | |
| " | 6-9" | TTB | .40 | |
| " | 9-12" | TTB | .60 | |
| <i>-nana (brevifolia)</i> ... | 3-5" | CBR | .10 | |
| " bedded | 6-8" | 1 yr | .15 | |
| " | 3-5" | 2½" P | .20 | |
| <i>hatfieldi</i> | 4-6" | CBR | .10 | |
| " | 4-6" | 2½" P | .20 | |
| <i>intermedia</i> | 4-6" | CBR | .09 | |
| " | 6-8" | CBR | .10 | |
| " bedded | 6-8" | 1 yr | .15 | |
| " | 6-8" | 2½" P | .20 | |
| <i>intermedia "Rosco"</i> | 4-6" | CBR | .12 | |
| " | 6-8" | CBR | .15 | |
| " | 6-8" | 2½" P | .25 | |
| <i>media hicksi</i> | 4-6" | CBR | .07 | |
| " | 6-8" | CBR | .08 | |
| " bedded | 8-10" | 1 yr | .15 | |
| " | 6-8" | 2½" P | .20 | |
| " | 6-9" | TTB | .30 | |
| " | 9-12" | TTB | .45 | |
| " | 12-15" | TTB | .75 | |

T H U J A
(*Arborvitae*)

100 rate
each

| | | | | |
|--------------------------------|-------|-------|--------|--|
| THUJA | | | | |
| <i>occidentalis</i> | 6-8" | CBR | \$0.08 | |
| " | 6-8" | 2½" P | .18 | |
| " | 8-10" | TTB | .25 | |
| " | 9-12" | TTB | .35 | |
| <i>-elegantissima</i> | 6-8" | CBR | .10 | |
| " bedded | 8-10" | 1 yr | .15 | |
| " | 6-8" | 2½" P | .20 | |
| " | 8-10" | TTB | .30 | |
| " | 9-12" | TTB | .40 | |
| <i>-globosa</i> | 6-8" | CBR | .10 | |
| " | 6-8" | 2½" P | .18 | |
| " | 8-10" | TTB | .25 | |
| <i>-lutea</i> | 6-8" | CBR | .10 | |
| " | 6-8" | 2½" P | .20 | |
| <i>-nigra</i> | 6-8" | CBR | .10 | |
| " bedded | 8-10" | 1 yr | .15 | |
| " | 6-8" | 2½" P | .22 | |
| " | 8-10" | TTB | .35 | |
| <i>-pyramidalis</i> | 6-8" | CBR | .10 | |
| " | 6-8" | 2½" P | .22 | |
| <i>-rosenthali</i> | 4-6" | CBR | .10 | |
| " | 4-6" | 2½" P | .22 | |
| <i>-spiralis (douglasii)</i> . | 6-8" | CBR | .10 | |
| " | 6-8" | 2½" P | .22 | |
| <i>-wareana</i> | 6-8" | CBR | .10 | |
| " | 6-8" | 2½" P | .20 | |

HEMLOCK

| TSUGA | | 3-6" | 100 rate | |
|-------|-------------------------|--------|----------|--------|
| | | | each | |
| | <i>canadensis</i> | 3-6" | TBR | \$0.05 |
| " | | 6-9" | TBR | .10 |
| " | | 9-12" | TBR | .15 |
| " | | 12-15" | TTBR | .20 |
| " | | 15-18" | TTBR | .25 |



VIBURNUM

| VIBURNUM | | | | |
|-----------------------------|-------|----------|--------|--|
| <i>burkwoodi</i> | 4-6" | 2 1/2" P | \$0.20 | |
| " | 6-8" | 3" P | .35 | |
| " | 8-12" | 4" P | .60 | |
| <i>carlesii</i> | 4-6" | 2 1/2" P | .25 | |
| " | 6-8" | 3" P | .40 | |
| " | 8-12" | 4" P | .75 | |
| <i>rhytidophyllum</i> | 4-6" | 2 1/2" P | .30 | |
| <i>theifernum</i> | 4-6" | 2 1/2" P | .20 | |
| <i>plicatum</i> | 4-6" | 2 1/2" P | .25 | |

TRIAL ORDERS

"get acquainted offers"

Wholesale only

To introduce our products to the trade we have assembled collections covering three important groups of lining out material.

Please note that all these plants are on their OWN ROOTS, no graft weaknesses to worry about.

COLLECTION "A" - BROADLEAVED EVERGREENS

| | | | | |
|---|---------------------------------|-------------------|--|--------|
| 2 | Rhododendron, O.R. - 6" | | | |
| 2 | Andromeda japonica - 4-6" | | | |
| 2 | Laurocerasus shipkaensis - 4-6" | | | |
| 2 | Azalea hinodigiri - TF | | | |
| 2 | Azalea mucronulatum - TF | | | |
| 2 | Azalea macrantha - TF | | | |
| | | Shipped post free | | \$4.50 |

COLLECTION "B" - ILEX - HOLLY

| | | | | |
|---|--|-------------------|--|--------|
| 2 | <i>Ilex crenata</i> - 4-6" - TB | | | |
| 2 | <i>Ilex bullata</i> - 3-5" - TF | | | |
| 2 | <i>Ilex altaclarens</i> - 3-5" - 2 1/2" P | | | |
| 2 | <i>Ilex opaca brilliantissima</i> - 3-5" - P | | | |
| 2 | <i>Ilex aquifolia scottica</i> - 3-5" 2 1/2" P | | | |
| 2 | <i>Ilex glabra</i> - 3-5" - 2 1/2" P | | | |
| | | Shipped post free | | \$4.00 |

COLLECTION "C" - DECIDUOUS

| | | | | |
|---|--|-------------------|--|--------|
| 2 | Pink Dogwood - 8-10" - 2 1/2" P | | | |
| 2 | Gordonia alatamaha - 4-6" - 2 1/2" P | | | |
| 2 | Magnolia soulangeana - 6-8" - 2 1/2" P | | | |
| 2 | Magnolia waterlily - 6-8" - 2 1/2" P | | | |
| 2 | Viburnum burkwoodi - 4-6" - 2 1/2" P | | | |
| 2 | Viburnum plicatum - 4-6" - 2 1/2" P | | | |
| | | Shipped post free | | \$5.00 |

TRANSPLANTED SEEDLINGS

(Ready September)

Healthy vigorous plants, 2-4" high

A Z A L E A

100 rate
each

| | |
|--|--------|
| Ghent Hybrids | \$0.16 |
| Kaempferi (dark strains) | .10 |
| Kaempferi (salmon shades) | .10 |
| Mollis (large flowering) | .14 |
| Mucronulatum (earliest to bloom) | .14 |
| Schlippenbachi (Royal Azalea) | .16 |
| Ponticum (yellow) | .14 |

LEUCOTHOE

| | |
|----------------------------------|-----|
| Catesbaei (vigorous plants)..... | .08 |
|----------------------------------|-----|

PIERIS (Andromeda)

| | |
|------------------|-----|
| Floribunda | .10 |
| Japonica | .10 |

RHODODENDRON HYBRIDS

| | |
|-----------------------------------|-----|
| Chas. Dickens seedlings | .14 |
| Atrosanguinea seedlings | .14 |
| Lady Armstrong Seedlings | .14 |
| Dexter Hybrids (hardy var.) | .14 |
| Fortunae Hybrids (selected) | .14 |
| Hybrids (hand pollinated) | .25 |
| (best reds) | |

RHODODENDRON SPECIES

| | |
|---------------------------|-----|
| Ponticum (domestic) | .08 |
| Carolina | .10 |
| Racemosum | .20 |



FLATTED SEEDLINGS AS OFFERED
ABOVE, 10 MOS. FROM SEED.

A - Pieris (Andromeda) japonica
B - Azalea kaempferi (selected strain)

C - Rhododendron hybrid seedling

Note: Strong root system and healthy foliage.

GRAFTED STOCK

100 rate
each

| | | | |
|-----------------------------------|------|-------|--------|
| CHERRY - flowering in variety | 6-8" | BR | \$0.25 |
| CRAB - flowering in variety | 6-8" | BR | .25 |
| JUNIPERUS - chin. columnarius | 6-8" | 2½" P | .50 |
| PLUM - flowering - purple foliage | 6-8" | BR | .25 |

CULTURAL AID FOR LINING OUT STOCK

ALL BARE ROOT and the following potted material should be planted in beds provided with lath or other suitable shading. Andromeda, Azalea, Gordonia, Leucothoe, Ilex, Magnolia, Berberis, Cotoneaster, etc.

FOR ACID LOVING PLANTS, soil in beds should be enriched with acid leaf mold and decomposed cow manure. Other stock will be greatly aided by aged manure. Peat Moss and screened sand, incorporated with heavy soil, will encourage good root action.

ALL POTTED PLANTS such as Chamaecyparis, Juniperus, Taxus, Thuja, etc. may be lined out in Spring and Early Summer in previously prepared fields.


WATERING is important unless planting coincides with a natural rainfall. A good watering at time of planting is advisable, if at all possible. This is to be followed by one or two waterings. During June and July, the beds should be watered but the watering should be tapered off during the latter part of August to prevent late soft growth.

CULTIVATING during summer months is advisable and will be of great help where water is not available.

FEEDING with well rotted manure, as previously stated, should be done at planting time. No stimulant should be applied the first year. If used later, apply early enough to allow growth to harden before frost.

WINTER PROTECTION. Most of the plants will not need shade during late summer, but replacing shading on the beds for winter months is advisable if at all possible.

MULCHING is advisable to prevent heaving and winter injury. Oats broadcasted in September, will form a good mulch in regions where oats winter kills. Oats also check annual grass and chickweed.



TERMS AND CONDITIONS

THIS LIST cancels all previous quotations. Prices quoted are subject to change without notice and orders are accepted subject to prior sale.

PRICES - quoted per 100: 10% off on 1000 lots, 25 at 100 rate, 250 at 1000 rate - 20% added for less than 10 of a variety sold.

CERTIFICATE - By U.S.D.A. furnished.

PACKING - Free of charge for cash with orders over \$25.00 only.

SHIPPING - from Westbury to destination at cost and risk of purchaser.

PAYMENT - All or 25% cash with order; balance C.O.D. unless otherwise arranged.

GUARANTEE - We express or imply no warranty as to the life or condition of the stock after it leaves our control.

CLAIMS - All claims must be made in

writing within ten days of invoice date. No merchandise may be returned for credit without our written permission. No adjustments made when account is past due. Your order shall constitute acceptance of these terms.

NOTE - We reserve the right to cancel all or part of any order in case of strike, delay in case of crop failure, or when not receiving desired variety, grade or quality or quantity from our growers, in which case order will be held over, or refund will be made. We assume no responsibility for hardiness of plants in a given locality.

WESTBURY ROSE CO., INC.
NURSERYMEN
WESTBURY, L.I., N.Y.



CORNUS FLORIDA RUBRA
On their own roots make
vigorous straight trees See Page 5

MAGNOLIA SOULANGEANA
Best specialty item See Page 7

ILEX CRENATA BULLATA
The future hedge and
specimen plant See Page 6

VIBURNUM CARLESI &
BURKWOODI
In 2½" - 3" & 4" pots
for assured results See Page 13

RHODODENDRON HYBRIDS
True to name rooted stem
cuttings See Pages -
8-9-10

SEC. 34.66 PL&R
U. S. POSTAGE
PAID
Westbury, L. I.
Permit No. 5

POSTMASTER: If addressee has removed.
notify sender on FORM 3547, postage for
which is guaranteed.